

## Sodium Diacetate Pharma

SPECIFICATIONS	CONTROL LIMITS
Appearance	white crystal
Identification test Sodium	conform test
Identification test Acetate	conform test
Assay Sodium Acetate	56.0 - 59.0 %(m)
Assay Acetic Acid	40.0 - 43.0 %(m)
Insoluble in water	500 ppm max.
Chloride (Cl)	350 ppm max.
Sulphate (SO <sub>4</sub> )	50 ppm max.
Heavy metals (as Pb)	10 ppm max.
Aluminium (Al)	0.2 ppm max.
Oxidizable impurities (as formic acid)	0.2 %(m) max.
Calcium & Magnesium	conform test
Potassium	conform test

Analytical methods available on request.  
For more detailed information please see Technical Data Sheet and Safety Data Sheet.

**Warranty.** This information herein is offered as a guide and is believed to be accurate and reliable as of the date of the printing. The values given are not to be considered as a warranty and they are subject to change without prior notice. For additional information regarding our products or for information concerning current specifications, please contact our Technical Service.

**Niacet Corporation**  
400, 47<sup>th</sup> Street  
Niagara Falls, NY 14304  
USA  
Tel: +1 (716) 285-1474 / +1 (800) 828-1207  
niacetcsr@niacet.com

[www.niacet.com](http://www.niacet.com)

**Niacet b.v.**  
P.O. Box 60, 4000 AB Tiel  
The Netherlands  
Tel. +31 344 615 224  
tiel@niacet.nl